

Get Failed Payment List

Description:

Retrieves a paginated list of failed subscription orders. The response includes details of each subscription order, and filtering options can be applied via query parameters.

Url Parameter Parameters:

- `status` (string, optional) - Filter subscriptions by status (e.g., paid, invoiced, debtCollection).

Query Parameters:

- `page` (integer, optional) - The page number for pagination. Default: `1`.
- `subscriptionUuid` (string, optional) - Retrieve subscriptions associated with a specific subscription.
- `phone` (string, optional) - Filter subscriptions order by customer phone.
- `customerName` (string, optional) - Retrieve subscriptions associated with a specific customer name.
- `startDate` (date, optional) - Filter subscription order that started on or after this date (Format: `YYYY-MM-DD`).
- `endDate` (date, optional) - Filter subscription order that ended on or before this date (Format: `YYYY-MM-DD`). `startDate` and `endDate` should be used together.

Authentication

This endpoint requires authentication using a **Bearer Token**. The client must send the token in the `Authorization` header for every request.

Example Authentication Header:

```
Authorization: Bearer YOUR_ACCESS_TOKEN
```



If the token is missing or invalid, the API will return a `401 Unauthorized` response.

Endpoint	:	https://demo-api.frontpayment.no/api/v1/connect/subscriptions/failed/list/{status?}
Method	:	GET

Authorization	:	Bearer
----------------------	---	--------

Response Structure

:

```
{
  "status_code": 200,
  "status_message": "OK",
  "message":
"failedSubscriptionOrdersRetrie
vedSuccessfully!",
  "is_data": true,
  "data": [
    {
      "orderUuid": "String",
      "orderDate": "String",
      "customerName":
"String",
      "clientName": "String",
      "countryCode": "String",
      "msisdn": "String",
      "currency": "String",
      "amount": "Float",
      "status": "String",
      "translationKey":
"failedSubscriptionOrderInvoice
d",
      "subscriptionUuid":
"String"
    },
    "metaData": {
      "total": "Integer",
      "perPage": "Integer",
      "currentPage": "Integer",
      "lastPage": "Integer"
    },
    "links": {
      "previous": null,
      "next": "https://fpgo-
backend.test/api/v1/connect/sub
scriptions/failed/list?page=2"
    }
  ]
}
```

Example Response

:

```
{
  "status_code": 200,
  "status_message": "OK",
  "message":
"failedSubscriptionOrdersRetrie
vedSuccessfully!",
  "is_data": true,
  "data": [
    {
      "orderUuid":
"ODR1276808511",
      "orderDate": "19.12.2024",
      "customerName": "Nafees",
      "clientName": "Sweden &
Co",
      "countryCode": "+47",
      "msisdn": "46567468",
      "currency": "NOK",
      "amount": 2500,
      "status": "INVOICED",
      "translationKey":
"failedSubscriptionOrderInvoice
d",
      "subscriptionUuid":
"SUB2532543787"
    },
    {
      "orderUuid":
"ODR266110120",
      "orderDate": "19.12.2024",
      "customerName": "Nafees",
      "clientName": "Sweden &
Co",
      "countryCode": "+47",
      "msisdn": "46567468",
      "currency": "NOK",
      "amount": 10,
      "status": "INVOICED",
      "translationKey":
"failedSubscriptionOrderInvoice
d",
      "subscriptionUuid":
"SUB2642190423"
```

Revision #3

Created 15 November 2023 10:24:35 by Shamsuddoha

Updated 5 March 2025 06:19:34 by Nayamot Ullah