

Refund Subscription Cycle

Description:

Refund a specific order or cycle of a subscription

Url Parameter Parameters:

- subscriptionUuid (string, required) – Uuid Of Subscription

Authentication

This endpoint requires authentication using a **Bearer Token**. The client must send the token in the `Authorization` header for every request.

Example Authentication Header:

```
Authorization: Bearer YOUR_ACCESS_TOKEN
```

If the token is missing or invalid, the API will return a `401 Unauthorized` response.

Endpoint	:	https://demo-api.frontpayment.no/api/v1/connect/subscriptions/cycles/refund/{subscriptionUuid}
Method	:	POST
Authorization		Bearer
Request Payload	:	<pre>'cycles' => 'required array', 'amount' => 'required numeric',</pre>

Response Structure

:

```
{  
  "status_code": "Integer",  
  "status_message": "String",  
  "message": "String",  
  "is_data": "Boolean",  
  "data": "Array",  
  "is_error": "Boolean",  
  "errors": "Array"  
}
```

Example Response

:

```
{
  "status_code": 201,
  "status_message": "OK",
  "message":
"refundProcessedSuccessfully",
  "is_data": true,
  "data": []
}
```

```
{
  "status_code": 404,
  "status_message": "Execution
Exception Occurred",
  "message":
"cycleNotFound#cycle1",
  "is_data": false,
  "is_error": true,
  "errors": []
}
```

```
{
  "status_code": 400,
  "status_message": "Execution
Exception Occurred",
  "message":
"someCyclesFailedToPassValidat
ion",
  "is_data": false,
  "is_error": true,
  "errors": []
}
```

```
{
  "status_code": 510,
  "status_message": "Execution
Exception Occurred",
  "message":
"somethingWentWrong",
  "is_data": false,
  "is_error": true,
  "errors": []
}
```

Revision #5

Created 26 February 2025 05:07:10 by Shamsuddoha

Updated 26 February 2025 10:21:53 by Shamsuddoha