

Update Private Customer

This API endpoint allows you to update the details of an existing private customer. You can modify information such as their name, email, phone number, and address.

Endpoint

```
PUT https://demo-api.frontpayment.no/api/v1/connect/customers/update/private/{CUSTOMER_UUID}
```

Authentication

Include a **Bearer Token** in the `Authorization` header. You can obtain this token from **Front Payment**.

Example:

```
Authorization: Bearer YOUR_FRONTPAYMENT_BEARER_TOKEN
```

Request Payload

Send the following JSON object in the request body:

```
{
  "name": "Kari Nordmann",
  "personalNumber": "925710482",
  "preferredLanguage": "en",
  "msisdn": "46567468",
  "email": "test@gmail.com",
  "countryCode": "+47",
  "addresses": {
    "billing": {
      "street": "Luramyrveien 65",
      "zip": "4313",
      "city": "Sandnes ",

```

```

    "country": "NO"
  },
  "shipping": {
    "street": "Luramyrveien 65",
    "zip": "4313",
    "city": "Sandnes ",
    "country": "NO"
  }
}
}
}

```

Validation Rules

Make sure your request meets the following requirements:

Field	Type	Description
<code>name</code>	string	Required Customer's full name.
<code>email</code>	email	Required Customer's email address.
<code>countryCode</code>	string	Required Country code for the customer's phone number (e.g., "+47").
<code>msisdn</code>	string	Required Mobile Subscriber ISDN Number (phone number).
<code>preferredLanguage</code>	string	Required Customer preferred language. Available languages are <code>en</code> , <code>no</code> , <code>sv</code> , <code>da</code> , <code>de</code> .
<code>personalNumber</code>	string	Optional Customer's personal identification number, must be exactly 11 characters containing only numbers and cannot contain spaces.
<code>addresses</code>	array	Required Customer's billing and shipping address.
<code>addresses.billing.street</code>	string	Required Street address of the customer.
<code>addresses.billing.zip</code>	string	Required Zip code of the customer's address.
<code>addresses.billing.city</code>	string	Required City of the customer's address.
<code>addresses.billing.country</code>	string	Required ISO Alpha-2 country code (e.g., NO). Custom validation <code>IsoAlpha2Country</code> applies.

Field	Type	Description
addresses.shipping.street	string	Optional Street address of the customer.
addresses.shipping.zip	string	Optional Zip code of the customer's address.
addresses.shipping.city	string	Optional City of the customer's address.
addresses.shipping.country	string	Optional ISO Alpha-2 country code (e.g., NO). Custom validation IsoAlpha2Country applies.

Response

A successful request returns **202 OK**:

```
{
  "status_code": 202,
  "status_message": "OK",
  "message": "customerUpdatedSuccessfully",
  "is_data": false,
  "data": null
}
```

If the API returns a **510 error**, it indicates a server-side failure:

```
{
  "status_code": 510,
  "status_message": "Execution Exception Occurred",
  "message": "somethingWentWrong",
  "is_error": true,
  "errors": "Array"
}
```

Revision #9

Created 23 November 2023 10:23:21 by Shamsuddoha

Updated 8 September 2025 10:19:17 by Admin